

PRODUCT DATASHEET

Bulkhead Essential Oval E27 Black

Bulkhead Essential | Wall and ceiling luminaire with integrated protective cage



Areas of application

- Basement
- Garages
- Corridors, stairways, entrance areas

Product benefits

- Sustainable due to E27 base
- High-quality glass housing and integrated protective cage for increased safety
- Thanks to protection class IP44, the luminaire is splash-proof

Product features

- Impact resistance: IK06
- Type of protection: IP44
- Easy and quick installation


TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	II
Operating mode	Mains voltage

Dimensions & Weight

Length	116.00 mm
Width	110.00 mm
Height	207.00 mm
Product weight	520.00 g



Materials & Colors

Product color	Black
Housing color	Black
Body material	Polypropylene (PP)
Cover material	Glass
Glow Wire Test according to IEC 60695-2-12	650 °C
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-40...+80 °C
Type of connection	Terminal, 2-Pole (L, N)
Type of protection	IP54/IP20
Protection class IK (shock resistance)	IK03
Dimmable	No

Mounting type	Surface
Mounting location	Wall
With light source	No
Replaceable light source	No
Holder designation	E27

Emergency lighting

Type of emergency operation test	None
----------------------------------	------

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No

Additional product data

Number of illuminants	1
-----------------------	---

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	Bulkhead Essential E27
	Declarations of conformity	CE declaration Bulkheads Essential E27

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854671586	Bundle 1	209 mm x 119 mm x 108 mm	525.00 g	2.69 dm ³
4099854671593	Shipping box 10	607 mm x 267 mm x 244 mm	6060.00 g	39.54 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.