

# PRODUCT DATASHEET ENDURA Classic Lantern Square M E27 Black

ENDURA® Classic Lantern | Classic, square-shaped lantern



#### Areas of application

- Only for specially protected outdoor areas
- Suitable for outdoor applications by luminaire mounting with lamp holder facing downwards
- Entrance lighting
- Patios, balconies

#### Product benefits

- High flexibility in the choice of the light source thanks to E27 socket
- Easy and quick installation

### **Product features**

- Die-cast aluminum housing
- Diffuser made of clear glass
- Type of protection: IP23



# TECHNICAL DATA

# Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	I
Operating mode	Mains voltage

# Dimensions & Weight

Length	105.00 mm
Width	150.00 mm
Height	293.00 mm
Product weight	1000.00 g



## Materials & Colors

Product color	Black
Housing color	Black
Body material	Aluminum
Mercury content	0.0 mg

# **Application & Mounting**

Ambient temperature range	-20+40 °C
Temperature range at storage	-20+80 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP43/IP43
Dimmable	No

Mounting type	Surface
Mounting location	Wall
Application environment	Outdoor
With light source	No
Replaceable light source	No
Holder designation	E27

# **Emergency lighting**

Type of emergency operation test	None
----------------------------------	------

#### Certificates & Standards

Standards	CE / UKCA / EAC
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No

# Additional product data

Product remark	Maximum bulb wattage: 60 W
Number of illuminants	1

## **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included
- No light sources included

#### Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.

#### **DOWNLOAD DATA**

Documents and certificates Document name		Document name	
User instruction / safety instructions		ENDURA CLASSIC LANTERN SQ	
Legal information Safety insert G11219578		Safety insert G11219578	
PDF	Declarations of conformity	CE Declaration Endura Classic Lantern Square	

Docur	nents and certificates	Document name



Declarations of conformity UKCA

UNDERCABINET SPOTMAGNET

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854447402	Folding box 1	131 mm x 171 mm x 312 mm	1268.00 g	6.99 dm <sup>3</sup>
4099854447419	Shipping box 6	408 mm x 357 mm x 332 mm	7610.00 g	48.36 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

Black